Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	50	("5768388" "5588061" "5905799" "4598385" "5604899" "5611076" "5617567" "5652882" "5666414" "5675779" "5713014" "5826259" "6072876" "5515441" "5553145" "5629982" "5666420" "5680458" "6058484" "6134326" "6137884" "4354227" "4611280" "4829169" "5254814" "5349663" "5420924" "5491749" "5497422" "5497486" "5506949" "5600722" "5604807" "5664017" "5708716" "5717915" "5730604" "5748742" "5754656" "5764772" "5768380" "5768389" "5790669" "5823789" "5852665" "5864622" "5878262" "5907602" "5913203" "5987123").pn.	USPAT	OR	ON	2004/07/28 11:44
S2	4	euchner-martin.in.	US-PGPUB; USPAT	OR	ON	2005/05/16 16:52
S3	1	("5241599").PN.	USPAT; USOCR	OR	OFF	2004/07/27 13:49
S4	13	("4193131" | "4438824" | "4549075" | "4588985" | "4720859" | "4723284" | "4799061" | "4805216" | "5148479" | "5153919" | "5241599" | "5299263" | "5371294").PN.	USPAT	OR	ON	2004/07/27 13:59
S5	11	"5491749".URPN.	USPAT	OR	ON	2005/05/16 16:56
S6	1	"4193131".PN.	USPAT	OR	ON	2004/07/27 14:18
S7	57	"5241599".URPN.	USPAT	OR	ON	2005/05/16 16:57
S8	1	("4956863").PN.	USPAT; USOCR	OR	OFF	2004/07/27 15:35
S9	2364	713/168-169,171,181;380/30, 281-282,284-285.ccls.	US-PGPUB; USPAT	OR	ON	2005/05/16 17:58
S10	139	713/168-169,171,181;380/30, 281-282,284-285.ccls. and ((key near2 exchang$3) same diffie$1hellman)	US-PGPUB; USPAT	OR	ON	2004/07/27 16:31
S11	55	(713/168-169,171,181;380/30, 281-282,284-285.ccls. and ((key near2 exchang$3) same diffie$1hellman)) and password	US-PGPUB; USPAT	OR	ON	2004/07/27 16:32
S12	43	((713/168-169,171,181;380/30, 281-282,284-285.ccls. and ((key near2 exchang$3) same diffie$1hellman)) and password) and hash$3	US-PGPUB; USPAT	OR	ON	2005/05/16 17:00

S13	1	("4200770").PN.	USPAT; USOCR	OR	OFF	2004/07/28 11:44
S14	1698	key near2 (exchang$3 or establish$3) same authenticat$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/28 17:33
S15	313	(key near2 (exchang$3 or establish$3) same authenticat$3) and diffie-hellman	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/28 17:34
S16	192	((key near2 (exchang$3 or establish$3) same authenticat$3) and diffie-hellman) and ((password or pwd or "shared secret" or "secret key") near4 (encrypt$3 or decrypt$3 or hash$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/28 17:37
S17	53	(((key near2 (exchang$3 or establish$3) same authenticat$3) and diffie-hellman) and ((password or pwd or "shared secret" or "secret key") near4 (encrypt$3 or decrypt$3 or hash$3))) and @ad<"19981103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 17:15
S12 3	13	("4193131" | "4438824" | "4549075" | "4588985" | "4720859" | "4723284" | "4799061" | "4805216" | "5148479" | "5153919" | "5241599" | "5299263" | "5371294").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/05/16 13:19
S12 4	5	euchner-martin.in.	US-PGPUB; USPAT	OR	ON	2005/09/08 12:57
S12 5	12	"5491749".URPN.	USPAT	OR	ON	2005/05/16 16:56
S12 6	58	"5241599".URPN.	USPAT	OR	ON	2005/05/16 16:57
S12 7	50	((713/168-169,171,181;380/30, 281-282,284-285.ccls. and ((key near2 exchang$3) same diffie$1hellman)) and password) and hash$3	US-PGPUB; USPAT	OR	ON	2005/09/08 13:00

S12 8	85	(((key near2 (exchang$3 or establish$3) same authenticat$3) and diffie-hellman) and ((password or pwd or "shared secret" or "secret key") near4 (encrypt$3 or decrypt$3 or hash$3))) and (@ad<"19981103" or @rlad<"19981103")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/08 13:08
S12 9	49	message with (encrypted or encoded) with (plaintext or unencrypted or unencoded) with ((symmetric or secret or shared) near3 (key or cipher or algorithm or cryptography or function))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/16 18:14
S13 0	25	S129 and (@ad<"19981103" or @rlad<"19981103")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/08 13:12
S13 1	11	message with (includ$3 or compris$3 or contain$3) with (encrypted or encoded) with (plaintext or unencrypted or unencoded) with (symmetric or secret or shared)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/08 13:12
S13 2	5	euchner-martin.in.	US-PGPUB; USPAT	OR	ON	2005/09/08 12:57
S13 3	53	((713/168-169,171,181;380/30, 281-282,284-285.ccls. and ((key near2 exchang$3) same diffie$1hellman)) and password) and hash$3	US-PGPUB; USPAT	OR	ON	2005/09/08 13:00
S13 4	86	(((key near2 (exchang$3 or establish$3) same authenticat$3) and diffie-hellman) and ((password or pwd or "shared secret" or "secret key") near4 (encrypt$3 or decrypt$3 or hash$3))) and (@ad<"19981103" or @rlad<"19981103")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/08 13:08
S13 5	50	message with (encrypted or encoded) with (plaintext or unencrypted or unencoded) with ((symmetric or secret or shared) near3 (key or cipher or algorithm or cryptography or function))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/08 13:12

S13 6	25	S135 and (@ad<"19981103" or @rlad<"19981103")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/08 13:12
S13 7	11	message with (includ$3 or compris$3 or contain$3) with (encrypted or encoded) with (plaintext or unencrypted or unencoded) with (symmetric or secret or shared)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/08 13:13
S13 8	24	message with (includ$3 or compris$3 or contain$3) with (encrypted or encoded) with (plaintext or unencrypted or unencoded) same (symmetric or secret or shared)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/08 13:39
S14 0	2	(((key near2 exchang$3) or (diffie$1hellman) or (exponential near operation)) and (encrypted or encoded) and (symmetric or secret or password) and (transmit$4 or transfer$3 or send$3 or receiv$3) and (plaintext or unencrypted or unencoded) and authenticat$3). clm.	US-PGPUB	OR	ON	2005/09/08 13:54
S14 1	40	(((key near2 exchang$3) or (diffie$1hellman) or (exponential near operation)) and (encrypted or encoded) and (symmetric or secret or password) and authenticat$3). clm.	US-PGPUB	OR	ON	2005/09/08 13:58